iQ300
Fridge freezer
KG33VVI31G
Low frost

iQ 300 coolEfficiency bottom freezer with crisperBox to keep fruit and vegetables fresh longer, plus lowFrost technology for less defrosting.

- ✓ Fruit and vegetables stay fresh longer in the crisperBox thanks to the humidity slider.
- ✓ Less frost formation and faster defrosting with lowFrost.
- ✓ An A++ cooling appliance works very efficiently.
- ✓ The LED lights up the interior brightly and evenly, without dazzling.
- ✓ The bottleRack offers safe storage for all bottles.

Features

Technical Data

Built-in / Free-standing : Free-standing
Door panel options : Not possible
Height (mm) : 1760
Width of the product (mm) : 600
Depth of the product : 650
Required niche size for installation (HxWxD) : x 0 x 0
Net weight (kg) : 69.0
Connection Rating (W) : 90
Current (A) : 10
Door hinge : Right reversible
Voltage (V) : 220-240
Frequency (Hz) : 50
Approval certificates : VDE
Length of electrical supply cord (cm) : 240.00
Storage Period in Event of Power Failure (h) : 23
Number of compressors : 1
Number of independent cooling systems : 1
Interior ventilator : No
Reversible Door Hinge : Yes
Number of Adjustable Shelves in fridge compartment (Stck) : 2
Shelves for Bottles : Yes
Brand : Siemens
Product name / Commercial code : KG33VVI31G
Energy efficiency class - NEW (2010/30/EC) : A++
Energy consumption annual (kWh/annum) - NEW (2010/30/EC) : 219
Refrigerator Net capacity (l) - NEW (2010/30/EC) : 192
Freezer Net capacity (l) - NEW (2010/30/EC) : 94
Frost free system : No
Temperature rise time (h) : 23
Freezing capacity (kg/24h) - NEW (2010/30/EC) : 7
Climate class : SN-T
Noise level (dB(A) re 1 pW) : 39
Installation type : N/A

Included accessories

1 x egg tray
1 x ice cube tray

4 242003 666623

iQ300
Fridge freezer
KG33VVI31G
Low frost

Features

Performance and Consumption

- Energy efficiency class: A++
- Annual energy consumption 219 kwh (per year).
- Total net capacity: 286 litres
- Net fridge capacity: 192 litres
- Net freezer capacity: 94 litres

Design features

- Stainless steel fingerprint free doors and chrome inox metallic side panels
- high door design, softline curved door design
- Plastic Integrated vertical handle
- Right hinged door, reversible
- Manual defrost freezer
- Bright interior LED fridge light
- Electronic control (LED chain)
- Removable magnetic door seals - easy to clean
- 1 compressor/1 cooling circuit

Food freshness system

- 1 vegetable crisper box with integrated humidity control with rippled base for improved air circulation

Key features - Fridge section

- Interior design with metal applications
- Bottle rack
- Bright interior LED fridge light
- 1 vegetable crisper box with integrated humidity control
- 4 removeable safety glass shelves of which 2 are easy pull out
- 1 large door shelf, 2 small door shelf
- Bottle rack
- Automatic defrost in fridge section
- Height adjustable front feet

Key features - Freezer section

- superFreeze function with automatic deactivation
- 3 transparent freezer drawers, 1 big box
- 4 star rating
- 3 freezer drawers
- VarioFreezing - adaptable storage for more flexibility
- Freezing capacity in 24 hours: 7 kg
- Maximum freezer storage time in power failure: 23 hours
- Defrost water outlet - for easy and convenient defrosting

Functions

- superFreeze function with automatic deactivation

Dimension and installation

- Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)
- 220 - 240 V
- Dimensions: 176 cm H x 60 cm W x 65 cm D

iQ300
Fridge freezer
KG33VVI31G
Low frost

Dimensioned drawings



Device name	a	b	c	d	e	f	g	h
KGV33 (inner handle)	1760	600	650	580	600	1200	650	690
KGV33 (outer handle)	1760	600	650	580	640	1200	690	690
KGV36VKGE36 (inner handle)	1860	600	650	580	600	1200	650	690
KGV36VKGE36 (outer handle)	1860	600	650	580	640	1200	690	690

Specification	
a	Height
b	Width
c	Depth with door closed, without handle and without flexible spacing piece
d	Cabinet depth without flexible spacing piece
e	Width with door opened to 90°
f	Depth with door opened, without handle and without flexible spacing piece
g	Depth with door closed, with handle and without flexible spacing piece
h	Depth with door closed, without handle and with flexible spacing piece

measurements in mm